

# **SAFETY DATA SHEET**

## Section 1. Product and Company Identification

Product ID: PLA BLK 11154

Product Use: Plastisol (PVC) Black

Supplier/Manufacturer: Latem Industries Limited

90 Struck Court In Case of Emergency:

 Cambridge ON N1R 8L2
 CANUTEC
 613-996-6666

 519-740-0292
 Product/Technical
 519-740-0292

 www.latem.com
 Spill
 519-740-0292

#### Section 2. Hazards Identification

Emergency Overview: May cause severe irritation to eyes and skin. May be harmful is swallowed.

Potential Health Effects:

Eyes: Contact can cause moderate to severe irritation.

Skin: Moderate skin irritation.

Ingestion: May produce gastrointestinal disturbances including irritation and nausea. May cause

serious health damage.

Inhalation: Prolonged breathing of fumes from fusing operation may cause lung irritation.

## Section 3. Composition/Information on Ingredients

Hazardous Components CAS Number Percentage

#### Section 4. First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty

of luke warm water for at least 15 minutes. If irritation persists, seek medical attention.

Skin Contact: In case of contact, immediately wash hands with soap and water. If irritation persists, seek

medical attention.

Inhalation: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. Call a physician if symptoms develop or persist.

Ingestion: Rinse mouth well. If ingestion of a large amount does occur, call a poison control center

immediately. Do not induce vomiting without advice from poison control center.

General Advice: If you don't feel well, seek medical advice.

### **Section 5. Fire Fighting Measures**

Flammable Properties: Not flammable. Not combustible.

Extinguishing Media:

Suitable Extinguishing Media: Foam. Dry chemical powder. Carbon dioxide (C02).

Protection of Firefighters:

Protective Equipment and

Precautions for Firefighters: Move container(s) from fire area if you can do so without risk. In the event of

fire, cool tanks with water spray.

Specific Methods: Cool containers exposed to flames with water until well after the fire is out.

#### Section 6. Accidental Release Measures

Personal Precautions: Keep unnecessary personnel away. Keep upwind and out of low areas. Do not touch

damaged containers or spilled material unless wearing appropriate personnel protective

equipment.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Methods of Containment: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Methods for Cleaning Up: Should not be released into the environment. Soak up residue with absorbent material

and place in a non-leaking container. Clean surface thoroughly to remove residual

contamination. Following product recovery, flush area with water.

### Section 7. Handling and Storage

Handling: Do not get this material in contact with eyes or skin. Wash hands thoroughly after handling.

Wear protective equipment.

Storage: Store at room temperature. Avoid excessive heat. Keep container closed when not in use.

#### Section 8. Exposure Controls/Personal Protection

Engineering Controls: Ensure adequate ventilation, especially in confined areas.

Personal Protection:

Eye/Face: Safety Glasses

Skin: Wear suitable protective clothing. Use impervious gloves.

General Hygiene: Handle in accordance with good industrial hygiene and safety practices. Eye

wash fountain and emergency showers are recommended.

#### Section 9. Physical and Chemical Properties

Physical State:

Colour:

Black

Percent Volatile:

Vapor Pressure:

Unknown

Melting Point:

Specific Gravity:

Solubility:

Liquid

Black

Negligible

Unknown

above 420°F

Specific Gravity:

1.15-1.28

Not soluble

# Section 10. Stability and Reactivity

Chemical Stability: Material is stable under normal conditions.

Incompatible Materials: None

Hazardous Polymerization: Will not occur.

Hazardous Decomposition: Prolonged exposition to temperatures above 420°F may produce carbon

dioxide, carbon monoxide, hydrogen chloride, other possible.

#### **Section 11. Toxicological Information**

Sensitization: Not a skin sensitizer.

Carcinogenicity: This product is not considered to be a carcinogen.

Mutagenicity: No data available to indicate product or any components present a greater than 0.1% are

mutagenic or genotoxic.

Reproductive Effects: Contains no ingredient lists as toxic to reproduction.

#### Section 12. Ecological Information

No data available.

### **Section 13. Disposal Considerations**

Waste Information: Waste must be disposed of in accordance with Municipal, Provincial and Federal control

regulations. Consult your local and regional authorities.

## **Section 14. Transport Information**

TDG Classification: Not regulated.
Shipping Information: Avoid excessive heat.

### **Section 15. Regulatory Information**

Not regulated.

#### Section 16. Other Information

Issue Date: April 26, 2017

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Plastico Industries does not assume responsibility for any results obtained by persons over whose methods Plastico has no control.